

Design your sound



Acoustics
solutions for a
superior sound

*Soluciones
acústicas para un
sonido superior*

studiobricks



Your acoustic expert

At Studiobricks, we specialize in **delivering high-quality acoustic solutions** rooted in the music and recording industry, now extended to cater to a broad spectrum of applications. Our innovative products are meticulously designed to meet the diverse demands of professionals across various sectors.

With Studiobricks, excellence in sound is not just a promise, it's a guarantee.

*Estamos especializados en **ofrecer soluciones acústicas de alta calidad**. Desde nuestra experiencia en la industria de la música y la grabación, nuestros productos para satisfacen una amplia gama de aplicaciones.*

Nuestros innovadores productos están meticulosamente diseñados para cumplir con las diversas necesidades de profesionales.

Con Studiobricks, la excelencia en sonido no es solo una promesa, es una garantía.

G-SOUND KIT

Forget about
reverberation



Turn your
room into a
professional
studio

The G-SOUND
KIT offer acoustic
absorbers
for audio
professionals
in home and
studio settings,
enhancing
music and voice
by eliminating
unwanted
echoes.

Convierte tu
habitación
en un estudio
profesional

El G-SOUND KIT
es una selección
de absorbentes
acústicos para
profesionales
de audio en
entornos
domésticos
y de estudio,
que mejoran
la calidad de
sonido al eliminar
ecos indeseados.

S size

Ideal for small
spaces, this size
brings acoustic
brilliance to a room
ranging from 2-6m²


*Ideal para espacios
pequeños, este
tamaño aporta un
brillo acústico a una
habitación de 2-6m²*



x1


ECO45
30x60 cm

x6



ECO45
60x60 cm

x6



Corner BTrap
30x60x30 cm

x1



\$522



\$611

M size

Perfect for mid-
sized spaces,
suitable for rooms
between 7-10m²


*Perfecto para espacios
de tamaño medio,
ideal para habitaciones
entre 7-10m²*



x2


ECO45
30x60 cm

x12




ECO45
60x60 cm

x12



Corner BTrap
30x60x30 cm

x2



\$1.055



\$1.232

L size

Tailored for larger
studios, this kit
transforms spaces
between 10-13m²


*Diseñado para
adaptarse a estudios
más amplios, este kit
transforma espacios
de 10-13 m²*



x4


ECO45
60x60 cm

x30



Corner BTrap
30x60x30 cm

x4




\$1.843



\$2.142

The most innovative sound absorbing material



20% better acoustic performance than foam

- **Good for your sound**
Conducting a study comparing ECO45 absorbers to foam (FR25) for superior sound performance.
- **Good for your walls**
Quick installation and uninstallation for easy relocation.

20% mejor rendimiento acústico que la espuma

- **Bueno para tu sonido**
Un estudio comparativo entre absorbentes ECO45 y espuma FR25, demuestra mayor absorción.
- **Bueno para tus paredes**
Fácil montaje y desmontaje para una posible reubicación.

The healthiest choice with zero emissions

- **Good for your health**
certified by TÜV promoting a healthy indoor environment free from harmful emissions.

Más saludable que la espuma sin emisiones

- **Bueno para tu salud**
Certificado por TÜV, promoviendo un entorno interior saludable libre de emisiones nocivas.


50% made of recycled PET bottles

- **Good for the environment**
acoustic technology crafted from recycled PET bottles, odorless and fully recyclable, EcoVadis certified.
- **Good for your business**
Long-lasting material and easy to maintain and repair.

50% hecho de botellas de PET reciclado

- **Bueno para el medio ambiente**
Tecnología acústica inodora y completamente reciclable. Certificada por EcoVadis.
- **Bueno para tu negocio**
material duradero y fácil de mantener y reparar.


Test graph.
Acoustic absorption
in a reverberation
chamber according
to UNE-EN ISO
354:2004



Eco45 Absorber

Recycled PET acoustic panels: The eco-friendly solution for mid frequencies. They provide superior absorption, reducing reverb time with 45mm thickness and 25 kg/m³ density.

Paneles fonoabsorbentes de PET reciclado. La solución perfecta para frecuencias medias. Una absorción nunca vista que reduce el tiempo de reverberación gracias a su grosor de 45 mm y su densidad de 25 kg/m³.




\$466/10u Gray

Ref. E45-01

Ref. E45F-01 (with fasteners)

60 x 60 x 4,5 cm
(23.6 x 23.6 x 1.77 in)



\$555/10u Black

Ref. E45-02

Ref. E45F-02 (with fasteners)

60 x 60 x 4,5 cm
(23.6 x 23.6 x 1.77 in)

Velcro option: +2,50 €

Technical specifications

Dimensions (cm/in)	60x60 cm / 23.6x23.6 in
Thickness (cm/in)	4,5 cm / 1.77 in
Weight (kg/lb)	0,950 kg / 2.094 lb
Density	25 kg/m ³
Composition	Recycled P.E.T. (thermally bonded, without chemical binders)
Color	Light gray or black
Reaction to fire Class	B – s1, d0 (DIN EN 13501-1: 2010)
Absorption Class	C (0,60 to 0,75 α_w) (UNE-EN ISO 11654:1998)
UNE-EN ISO 354:2004 certification	See
DIN EN 13501-1: 2010 certification	Yes

Delivery


Units	10
Box dimensions (cm/in)	61,4x61,4x51,4 cm / 24.2x24.2x20.2 in


Measurements

Weighted sound absorption coefficient (α_w)
(UNE-EN ISO 354:2004:)

$\alpha_w = 0,60$ (H)

Sound absorption coefficient (α_s)
(UNE-EN ISO 11654:1998:)






C-BTrap

Crafted for corners, significantly reduces standing waves, perfect for recordings. Enhanced absorption for very low frequencies, even below 125Hz.

Diseñado especialmente para esquinas. Reduce considerablemente las frecuencias estacionarias, haciéndolo ideal para tus grabaciones. Gran poder de absorción de frecuencias muy bajas, incluso por debajo de 125Hz.



\$506/4u
Gray

Ref. ECBT3060-01
30 x 30 x 60 cm
(11.8 x 11.8 x 23.6 in)



\$555/4u
Black

Ref. ECBT3060-02
30 x 30 x 60 cm
(11.8 x 11.8 x 23.6 in)

Technical specifications


Dimensions (cm/in)	30x30x60 cm / 11.8x11.8x23.6 in
Weight (kg/lb)	3 kg / 6.6 lb
Density	25 kg/m³
Composition	Recycled P.E.T. (thermally bonded, without chemical binders)
Color	Light Gray
Reaction to fire Class	B – s1, d0 (DIN EN 13501-1: 2010)
UNE-EN ISO 354:2004 certification	See
DIN EN 13501-1: 2010 certification	Yes

Delivery

Units per box	4 units
Box size (cm/in)	61,3x61,3x62,3 cm / 24.1x24.1x24.5 in
Box weight (kg/lb)	13,9 kg / 30.6 lb

Measurements


Equivalent sound absorption area per object (A_{obj})
(UNE-EN ISO 354:2004)



C-BTrap Plus

The corner bass trap for bigger rooms. Significantly reduces standing waves, making it perfect for recordings. Enhanced capacity to absorb very low frequencies, even below 80Hz.

Nuestra bestia para salas grandes. Para esquinas. Reduce considerablemente las frecuencias estacionarias, haciéndolo ideal para tus grabaciones. Gran poder de absorción de muy bajas frecuencias, incluso por debajo de 80Hz.



\$488/2u
Gray

Ref. ECBT4560-01
45 x 45 x 60 cm
(17.7 x 17.7 x 23.6 in)



\$544/2u
Black

Ref. ECBT4560-02
45 x 45 x 60 cm
(17.7 x 17.7 x 23.6 in)

Technical specifications


Dimensions (cm/in)	45x45x60 cm / 17.7x17.7x23.6 in
Weight (kg/lb)	5,8 kg / 12.8 lb
Density	25 kg/m ³
Composition	Recycled P.E.T. (thermally bonded, without chemical binders)
Color	Light Gray
Reaction to fire Class	B – s1, d0 (DIN EN 13501-1: 2010)
UNE-EN ISO 354:2004 certification	See
DIN EN 13501-1: 2010 certification	Yes

Delivery

Units per box	2 units
Box dimensions (cm/in)	91,9x46,9x62,9 cm / 36.2x18.5x24.8 in
Box weight (kg/lb)	13,5 kg / 29.8 lb

Measurements


Equivalent sound absorption area per object (A_{obj})
(UNE-EN ISO 354:2004)



BTrap XXL


The perfect bass trap designed for spaces of 18m² and beyond. Absorbs a broad range of frequencies, particularly around 160 Hz. Highly effective in mitigating SBIR issues.

La trampa de graves perfecta diseñada para espacios de 18m² en adelante. Absorbe una amplia gama de frecuencias, especialmente alrededor de 160 Hz. Muy eficaz para evitar problemas de SBIR.



\$455/2u
Gray

Ref. EBT3060-01
60 x 30 x 60 cm
(23.6 x 11.8 x 23.6 in)



\$466/2u
Black

Ref. EBT3060-02
60 x 30 x 60 cm
(23.6 x 11.8 x 23.6 in)

Technical specifications


Dimensions (cm/in)	60x30x60 cm / 23.6x11.8x23.6 in
Weight (kg/lb)	4,9 kg / 10.8 lb
Density	25 kg/m ³
Composition	Recycled P.E.T. (thermally bonded, without chemical binders)
Color	Light Gray
Reaction to fire Class	B – s1, d0 (DIN EN 13501-1: 2010)
UNE-EN ISO 354:2004 certification	See
DIN EN 13501-1: 2010 certification	Yes

Delivery

Units per box	2 units
Box size (cm/in)	61,9x61,9x62,9 cm / 24.4x24.4x24.8 in
Box weight	11,7 kg / 25.8 lb

Measurements

Equivalent sound absorption area per object (A_{obj})
(UNE-EN ISO 354:2004)






BroadBand absorber


Designed to absorb a wide range of frequencies. A versatile and highly effective solution for early reflections.

*Diseñado para absorber una amplia gama de frecuencias.
Una solución versátil y muy eficaz para los primeros reflejos.*



\$515/4u Gray

Ref. EBB1560-01
60 x 15 x 60 cm
(23.6 x 5.9 x 23.6 in)



\$542/4u Black

Ref. EBB1560-02
60 x 15 x 60 cm
(23.6 x 5.9 x 23.6 in)

Technical specifications


Dimensions (cm/in)	60x15x60 cm / 23.6x5.9x23.6 in
Weight (kg/lb)	2,3 kg / 5 lb
Density	25 kg/m³
Composition	Recycled P.E.T. (thermally bonded, without chemical binders)
Color	Light Gray or Black
Reaction to fire Class	B – s1, d0 (DIN EN 13501-1: 2010)
UNE-EN ISO 354:2004 certification	See
DIN EN 13501-1: 2010 certification	Yes

Delivery

Units per box	4 units
Box size (cm/in)	61,9x61,9x62,9 cm / 24.4x24.4x24.8 in
Box weight	11,1 kg / 24.5 lb

Measurements

Equivalent sound absorption area per object (A_{obj})
(UNE-EN ISO 354:2004)



FlatPanel Reflector


Reflection panel exclusively designed to be snapped into the Studiobricks ECO45 sound absorption panels, enabling precise control over sound absorption and reflection.

Panel de reflexión diseñado especialmente para encajar en los paneles fonoabsorbentes Studiobricks ECO45, permitiendo un control preciso sobre la absorción y reflexión del sonido.




\$250/3u
Nordic

Ref. FPA-04
59 x 59 cm
(23.2 x 23.2 in)



\$250/3u
White

Ref. FPA-03
59 x 59 cm
(23.2 x 23.2 in)



\$250/3u
Black

Ref. FPA-02
59 x 59 cm
(23.2 x 23.2 in)

Technical specifications

Dimensions (cm/in)	59x59 cm / 23.2x23.2 in
Panel thickness (cm/in)	White-black: 3 mm / 0.12 in Nordic: 4 mm / 0.16 in
Weight (kg/lb)	White-black: 1,2 kg / 2.6 lb Nordic: 1.3 kg / 2.9 lb
Density	White-black: 1190 Nordic: 770 kg/m³
Composition	White-black: 100% recycled and recyclable PMMA (Polymethyl methacrylate) Nordic: MDF
Color	White, black, Nordic
Fire rating	White-black: UK: BS 476 Part.7 class 3 EU: EN 13501-1-2009 E USA: UL 94 HB

Delivery

Set	3 units + 12 fixations
Box dimensions (cm/in)	60,9 x 60,9 x 19,9 cm / 24.1x24.1x7.6 in
Box weight (kg/lb)	White-black: 5 kg / 11 lb Nordic: 5,3 kg / 11.7 lb



SmartPanel Reflector & Diffuser

Intelligent modules for reflection and diffusion, exclusively designed to be attached to Studiobricks ECO45 panels. Ready to plug-and-play, they redirect echoes in your room.

Módulos inteligentes para reflexión y difusión, diseñados exclusivamente para ser instalados en paneles Studiobricks ECO45. Listos para enchufar y usar, redirigen los ecos en tu habitación.



\$129/4u
Nordic

Ref. SPA-04
14 x 59 cm
(5.5 x 23.2 in)



\$151/4u
White

Ref. SPA-03
14 x 59 cm
(5.5 x 23.2 in)



\$151/4u
Black

Ref. SPA-02
14 x 59 cm
(5.5 x 23.2 in)

Technical specifications

Dimensions (cm/in)	14x59 cm / 5,5x23,2 in
Panel thickness (cm/in)	White-black: 3 mm / 0,12 in Nordic: 4 mm / 0,16 in
Weight (kg/lb)	White-black: 0,28 kg / 0.62 lb Nordic: 0,33 kg / 0.73 lb
Density	White-black: 1190 Nordic: 770 kg/m³
Composition	White-black: 100% recycled and recyclable PMMA (Polymethyl methacrylate) Nordic: MDF
Color	White, black, Nordic
Fire rating	White-black: UK: BS 476 Part.7 class 3 EU: EN 13501-1-2009 E USA: UL 94 HB

Delivery


Set	4 units + 8 fixations
Box dimensions (cm/in)	60,9x16x11,4 cm / 24x6.3x4.5 in
Box weight (kg/lb)	1,5 kg / 3.3 lb



SmartFuser Diffuser

A modular diffuser, designed to be exclusively attached to Studiobricks ECO45 panels, offering precise adjustment of mid and high frequencies in your room. Enhance sound clarity with a touch of style.

Un difusor modular, diseñado exclusivamente para ser encajado sobre los paneles Studiobricks ECO45, ofreciendo un ajuste preciso de las frecuencias medias y altas en tu habitación. Mejora la claridad del sonido con un toque de estilo.



\$80/8u Black

Ref. SFU-02
15 x 15 x 10 cm
(5.9 x 5.9 x 3.9 in)

\$80/8u White

Ref. SFU-03
15 x 15 x 10 cm
(5.9 x 5.9 x 3.9 in)

Technical specifications

Dimensions (cm/in)	14,5x14,5x10 cm / 5.7x5.7x3.9 in
Weight (kg/lb)	0,19 kg / 0.41 lb
Density	1190 kg/m ³
Composition	100% recycled and recyclable PMMA (Polymethyl methacrylate)
Color	White, black
Fire rating	UK: BS 476 Part.7 class 3 EU: EN 13501-1-2009 E USA: UL 94 HB

Delivery

Set	8 units (2 boxes of 4 units)
Box dimensions (cm/in)	60,3 x 15,4 x 11,6 cm / 23.6x6.1x5.6 in
Box weight (kg/lb)	3,8 kg / 8.8 lb



Adaptive acoustic solutions for diverse needs

Studiobricks acoustic panels stand out in the market for their **unparalleled design and innovative acoustic technology**.

Our sound-absorbing panels outperform conventional solutions in absorption coefficient. Combined with reflectors and diffusers exclusively designed to fit ECO45 absorbers, they allow for acoustic design in any space.

Versatility, healthy materials, and durability make Studiobricks the ideal choice for any acoustic need.

*Los paneles acústicos de Studiobricks destacan en el mercado gracias a su **diseño incomparable** y **tecnología acústica innovadora**.*

Nuestros paneles fonoabsorbentes superan a las soluciones convencionales en coeficiente de absorción. Combinados con los paneles reflectores y difusores exclusivos para los absorbentes ECO45, permiten diseñar la acústica de cualquier espacio.

*La **versatilidad**, los **materiales saludables** y la **durabilidad** hacen de Studiobricks la opción ideal para cualquier necesidad acústica.*

Recording *Grabación*



Offices *Oficinas*



Music *Musica*



Residential *Residencial*



Hospitality *Restauración*



Collective spaces *Espacios colectivos*



Retail Price List

Prices without VAT
Precios sin IVA

G-SOUND kit S – Gray	\$ 522
G-SOUND kit S – Black	\$ 611
G-SOUND kit M – Gray	\$ 1.055
G-SOUND kit M – Black	\$ 1.232
G-SOUND kit L – Gray	\$ 1.843
G-SOUND kit L – Black	\$ 2.142

Eco45 Gray (10 units)	\$ 466
Eco45 Black (10 units)	\$ 555
C-BTrap Gray (4 units)	\$ 506
C-BTrap Black (4 units)	\$ 555
C-BTrap Plus Gray (2 units)	\$ 488
C-BTrap Plus Black (2 units)	\$ 544
BroadBand Gray (4 units)	\$ 515
BroadBand Black (4 units)	\$ 542
BTrap XXL Gray (2 units)	\$ 455
BTrap XXL Black (2 units)	\$ 466
FlatPanel Nordic (3 units)	\$ 250
FlatPanel White (3 units)	\$ 250
FlatPanel Black (3 units)	\$ 250
SmartPanel Nordic (4 units)	\$ 129
SmartPanel White (4 units)	\$ 151
SmartPanel Black (4 units)	\$ 151
SmartFuser White (8 units)	\$ 80
SmartFuser Black (8 units)	\$ 80



Your success is ours

At Studiobricks, we consider our clients an integral part of our family, and we are **deeply committed** to offering you the optimal solution. Our dedicated team, along with our network of distributors, is always at your service, ready to assist with your requests in a transparent and forthright manner.

We take great pride in fostering enduring relationships with our clients, consistently working towards **delivering top-quality products to help you excel in your endeavors.**

*Tratamos a nuestros clientes como una familia con el **máximo compromiso** para ofrecerte la mejor solución. El equipo de Studiobricks así como nuestros distribuidores estamos disponibles para ayudar con cualquier solicitud de la manera más honesta posible.*

*Tenemos el orgullo de tener sólidas y duraderas relaciones con nuestros clientes y nos seguimos esforzando cada día para **ofrecer el mejor producto, y así tu conseguir los mejores resultados en tus proyectos.***

Headquarters Spain

Studiobricks S.L.
Pol. Ind. La Serra, C/ Segarra, 1
08185 Lliçà de Vall
Barcelona, España
info@studiobricks.com
+34 93 8437459

Studiobricks Germany

Studiobricks GmbH
Ursulum 12
35396 Gießen, Germany
ina.scherbaum@studiobricks.com
F +49 641 35098930
M +49 1579 2301290

Studiobricks USA

Studiobricks Inc.
New York | Miami
usa@studiobricks.com
T +1 609 541 8885
T +1 917 517 3841



MADE IN EUROPE

We speak English, Spanish, French,
German, Dutch & Catalan.

www.studiobricks.com